Author Index

Abram, V., see Kukman, I.L. 704(1995)113
Aggarwal, S.K., see Batta, A.K. 704(1995)228
Albert, K., see Bayer, E. 704(1995)37
Andersson, P.E., see Wan, H. 704(1995)179
Batta, A.K., Aggarwal, S.K., Tint, G.S., Batta, M. and Salen, G.
Capillary gas–liquid chromatography of 6-hydroxylated bile acids 704(1995)228
Batta, M., see Batta, A.K. 704(1995)228
Baudrand, V., Mouloungui, Z. and Gaset, A.
Separation and quantification of tetraethylene glycol monoheptanoate and diheptanoate by high-performance liquid chromatography 704(1995)524
Baumeister, E., see Bayer, E. 704(1995)37
Bayer, E., Baumeister, E., Tallarek, U., Albert, K. and Guiochon, G.
NMR imaging of the chromatographic process. Deposition and removal of gadolinium ions on a reversed-phase liquid chromatographic column 704(1995)37
Beigi, F., Yang, Q. and Lundahl, P.
Immobilized-liposome chromatographic analysis of drug partitioning into lipid bilayers 704(1995)315
Benčina, M., see Friedrich, J. 704(1995)363
Blaschke, G., see Chankvetadze, B. 704(1995)234
Blomberg, L.G., see Wan, H. 704(1995)179
Boonkerd, S., Detaevernier, M.R., Michotte, Y. and Vindevogel, J.
Suppression of chiral recognition of 3-hydroxy-1,4-benzodiazepines during micellar electrokinetic capillary chromatography with bile salts 704(1995)238
Bossányi, F., see Piotte, M. 704(1995)377
Bousquet, O. and Le Goffic, F.
Counter-current chromatographic separation of polyunsaturated fatty acids 704(1995)211
Boyd-Boland, A.A. and Pawliszyn, J.B.
Solid-phase microextraction of nitrogen-containing herbicides 704(1995)163
Brinkman, U.A.T., see Van de Nesse, R.J. 704(1995)1
Bruno, T.J.
Permeation tube approach to long-term use of automatic sampler retention index standards 704(1995)157
Bult, A., see Cui, H. 704(1995)27
Caccamese, S., Principato, G., Viaud, M.-C. and Guillaumet, G.
Direct high-performance liquid chromatographic separation of the enantiomers of methoxy and hydroxy derivatives of 3,4-dihydro-3-(dipropylamino)-2*H*-1-benzopyrans with dopaminergic activity 704(1995)83
Caccialanza, G., see Massolini, G. 704(1995)55
Casale, J.F., see Moore, J.M. 704(1995)483
Chankvetadze, B., Endresz, G. and Blaschke, G.
Enantiomeric resolution of anionic *R*/*S*-1,1′-binaphthyl-2,2′-diyl hydrogen phosphate by capillary electrophoresis using anionic cyclodextrin derivatives as chiral selectors 704(1995)234
Chen, H.-R., see Sheu, S.-J. 704(1995)141
Cimerman, A., see Friedrich, J. 704(1995)363
Cloux, R., see Reddy, K.S. 704(1995)387
Cooper, D.A., see Moore, J.M. 704(1995)483
Cui, H., Leon, J., Reusaet, E. and Bult, A.
Selective determination of peptides containing specific amino acid residues by high-performance liquid chromatography and capillary electrophoresis 704(1995)27
De Lorenzi, E., see Massolini, G. 704(1995)55
Detaevernier, M.R., see Boonkerd, S. 704(1995)238
Dorsey, J.G., see Siles, B.A. 704(1995)289
Dovžan, A., see Novič, M. 704(1995)530
Effmert, U., see Schoor, A. 704(1995)89
Endresz, G., see Chankvetadze, B. 704(1995)234
Engström, A., see Wan, H. 704(1995)179
Erdmann, N., see Schoor, A. 704(1995)89
Fahey, J., see Redden, P.R. 704(1995)99
Favrou, A., see Roussel, C. 704(1995)67
Ferretti, R., Gallinella, B., La Torre, F. and Villani, C.
Direct high-performance liquid chromatography resolution on chiral columns of tiaprofenic acid and related compounds in bulk powder and pharmaceutical formulations 704(1995)217
Fischer, J.B. and Michael, J.L.
Thermospray ionization liquid chromatography–mass spectrometry and chemical ionization gas chromatography–mass spectrometry of hexazinone metabolites in soil and vegetation extracts 704(1995)131
Foucault, A., see Ma, Y. 704(1995)75
Freissmuth, J., see Noe, C.R. 704(1995)503
Friedrich, J., Žužek, M., Benčina, M., Cimerman, A., Štrancar, A. and Radež, I.
High-performance liquid chromatographic analysis of mevinolin as mevinolinic acid in fermentation broths 704(1995)363
Gachanja, A.N., Lewis, S.W. and Worsfold, P.J.
Determination of aldehydes in used engine oils by liquid chromatography with chemiluminescence detection 704(1995)329
Gallinella, B., see Ferretti, R. 704(1995)217
Gandini, C., see Massolini, G. 704(1995)55
Garad, M.V., see Mali, B.D. 704(1995)540
Gaset, A., see Baudrand, V. 704(1995)524
Giacometti, J., Milin, Č. and Wolf, N.
Monitoring the esterification of sorbitol and fatty acids by gas chromatography 704(1995)535
Gill, D.S., see Roush, D.J. 704(1995)339
Giumanini, A.G., Verardo, G., Strazzolini, P. and Hepburn, H.R.
Rapid detection of high-molecular-mass dienes in beeswax 704(1995)224
Gooijer, C., see Van de Nesse, R.J. 704(1995)1

Author Index

Abram, V., see Kukman, I.L. 704(1995)113
Aggarwal, S.K., see Batta, A.K. 704(1995)228
Albert, K., see Bayer, E. 704(1995)37
Andersson, P.E., see Wan, H. 704(1995)179
Batta, A.K., Aggarwal, S.K., Tint, G.S., Batta, M. and Salen, G.
Capillary gas–liquid chromatography of 6-hydroxylated bile acids 704(1995)228
Batta, M., see Batta, A.K. 704(1995)228
Baudrand, V., Mouloungui, Z. and Gaset, A.
Separation and quantification of tetraethylene glycol monoheptanoate and diheptanoate by high-performance liquid chromatography 704(1995)524
Baumeister, E., see Bayer, E. 704(1995)37
Bayer, E., Baumeister, E., Tallarek, U., Albert, K. and Guiochon, G.
NMR imaging of the chromatographic process. Deposition and removal of gadolinium ions on a reversed-phase liquid chromatographic column 704(1995)37
Beigi, F., Yang, Q. and Lundahl, P.
Immobilized-liposome chromatographic analysis of drug partitioning into lipid bilayers 704(1995)315
Benčina, M., see Friedrich, J. 704(1995)363
Blaschke, G., see Chankvetadze, B. 704(1995)234
Blomberg, L.G., see Wan, H. 704(1995)179
Boonkerd, S., Detaevernier, M.R., Michotte, Y. and Vindevogel, J.
Suppression of chiral recognition of 3-hydroxy-1,4-benzodiazepines during micellar electrokinetic capillary chromatography with bile salts 704(1995)238
Bossányi, F., see Piotte, M. 704(1995)377
Bousquet, O. and Le Goffic, F.
Counter-current chromatographic separation of polyunsaturated fatty acids 704(1995)211
Boyd-Boland, A.A. and Pawliszyn, J.B.
Solid-phase microextraction of nitrogen-containing herbicides 704(1995)163
Brinkman, U.A.T., see Van de Nesse, R.J. 704(1995)1
Bruno, T.J.
Permeation tube approach to long-term use of automatic sampler retention index standards 704(1995)157
Bult, A., see Cui, H. 704(1995)27
Caccamese, S., Principato, G., Viaud, M.-C. and Guillaumet, G.
Direct high-performance liquid chromatographic separation of the enantiomers of methoxy and hydroxy derivatives of 3,4-dihydro-3-(dipropylamino)-2*H*-1-benzopyrans with dopaminergic activity 704(1995)83
Caccialanza, G., see Massolini, G. 704(1995)55
Casale, J.F., see Moore, J.M. 704(1995)483
Chankvetadze, B., Endresz, G. and Blaschke, G.
Enantiomeric resolution of anionic *R*/*S*-1,1′-binaphthyl-2,2′-diyl hydrogen phosphate by capillary electrophoresis using anionic cyclodextrin derivatives as chiral selectors 704(1995)234
Chen, H.-R., see Sheu, S.-J. 704(1995)141
Cimerman, A., see Friedrich, J. 704(1995)363
Cloux, R., see Reddy, K.S. 704(1995)387
Cooper, D.A., see Moore, J.M. 704(1995)483
Cui, H., Leon, J., Reusaet, E. and Bult, A.
Selective determination of peptides containing specific amino acid residues by high-performance liquid chromatography and capillary electrophoresis 704(1995)27
De Lorenzi, E., see Massolini, G. 704(1995)55
Detaevernier, M.R., see Boonkerd, S. 704(1995)238
Dorsey, J.G., see Siles, B.A. 704(1995)289
Dovžan, A., see Novič, M. 704(1995)530
Effmert, U., see Schoor, A. 704(1995)89
Endresz, G., see Chankvetadze, B. 704(1995)234
Engström, A., see Wan, H. 704(1995)179
Erdmann, N., see Schoor, A. 704(1995)89
Fahey, J., see Redden, P.R. 704(1995)99
Favrou, A., see Roussel, C. 704(1995)67
Ferretti, R., Gallinella, B., La Torre, F. and Villani, C.
Direct high-performance liquid chromatography resolution on chiral columns of tiaprofenic acid and related compounds in bulk powder and pharmaceutical formulations 704(1995)217
Fischer, J.B. and Michael, J.L.
Thermospray ionization liquid chromatography–mass spectrometry and chemical ionization gas chromatography–mass spectrometry of hexazinone metabolites in soil and vegetation extracts 704(1995)131
Foucault, A., see Ma, Y. 704(1995)75
Freissmuth, J., see Noe, C.R. 704(1995)503
Friedrich, J., Žužek, M., Benčina, M., Cimerman, A., Štrancar, A. and Radež, I.
High-performance liquid chromatographic analysis of mevinolin as mevinolinic acid in fermentation broths 704(1995)363
Gachanja, A.N., Lewis, S.W. and Worsfold, P.J.
Determination of aldehydes in used engine oils by liquid chromatography with chemiluminescence detection 704(1995)329
Gallinella, B., see Ferretti, R. 704(1995)217
Gandini, C., see Massolini, G. 704(1995)55
Garad, M.V., see Mali, B.D. 704(1995)540
Gaset, A., see Baudrand, V. 704(1995)524
Giacometti, J., Milin, Č. and Wolf, N.
Monitoring the esterification of sorbitol and fatty acids by gas chromatography 704(1995)535
Gill, D.S., see Roush, D.J. 704(1995)339
Giumanini, A.G., Verardo, G., Strazzolini, P. and Hepburn, H.R.
Rapid detection of high-molecular-mass dienes in beeswax 704(1995)224
Gooijer, C., see Van de Nesse, R.J. 704(1995)1

Guillaume, Y., Thomassin, M. and Guinchard, C.
Prediction of gas chromatographic retention times, column efficiency and resolution as a function of temperature and flow-rate. Application for gas chromatographic separation of eight *p*-hydroxybenzoic esters 704(1995)437
Guillaumet, G., see Caccamese, S. 704(1995)83
Guinchard, C., see Guillaume, Y. 704(1995)437
Guiochon, G., see Bayer, E. 704(1995)37
Guiochon, G. and Sarker, M.
Consolidation of the packing material in chromatographic columns under dynamic axial compression. I. Fundamental study 704(1995)247
Haginaka, J., Seyama, C. and Murashima, T.
Retentive and enantioselective properties of ovomucoid-bonded silica columns. Influence of protein purity and isolation method 704(1995)279
Hajšlová, J., see Tomšej, T. 704(1995)513
Halsall, H.B., see Siles, B.A. 704(1995)289
Hays, P.A., see Moore, J.M. 704(1995)483
Hepburn, H.R., see Giumanini, A.G. 704(1995)224
Horrobin, D.F., see Redden, P.R. 704(1995)99
Hounsell, E.F.
Carbohydrate Analysis–High-Performance Chromatography and Capillary Electrophoresis (by Z. El Rassi) (Book Review) 704(1995)544
Hsu, K.-Y., see Lee, W.-C. 704(1995)307
Hu, Z.-D., see Zhang, H.-W. 704(1995)242
Hudnik, V., see Novič, M. 704(1995)530
Ito, Y., see Ma, Y. 704(1995)75
Jarc, I., see Velikonja, Š. 704(1995)449
Jarm, V., see Šegudović, N. 704(1995)149
Jia, L., see Zhang, H.-W. 704(1995)242
Jolicoeur, C., see Piotte, M. 704(1995)377
Kaneko, S., see Nobuhara, K. 704(1995)45
Kaštelan-Macan, M., see Petrović, M. 704(1995)173
Kato, M., see Nobuhara, K. 704(1995)45
Kemmery, B., see Thompson, C.O. 704(1995)203
Khudaeva, G.B., see Rasulev, U.K. 704(1995)473
Klein, R.F.X., see Moore, J.M. 704(1995)483
Klyushnichenko, V.E., Yakimov, S.A., Tuzova, T.P., Syagailo, Ya.V., Kuzovkina, I.N., Wulfson, A.N. and Miroshnikov, A.I.
Determination of indole alkaloids from *R. serpentina* and *R. vomitoria* by high-performance liquid chromatography and high-performance thin-layer chromatography 704(1995)357
Kovač-Filipović, M., see Šegudović, N. 704(1995)149
Kováts, E.s., see Reddy, K.S. 704(1995)387
Kukman, I.L., Zelenik-Blatnik, M. and Abram, V.
Isolation of low-molecular-mass hydrophobic bitter peptides in soybean protein hydrolysates by reversed-phase high-performance liquid chromatography 704(1995)113
Kuzovkina, I.N., see Klyushnichenko, V.E. 704(1995)357
La Torre, F., see Ferretti, R. 704(1995)217
Le Goffic, F., see Bousquet, O. 704(1995)211
Lee, W.-C., Lin, C.-H., Ruaan, R.-C. and Hsu, K.-Y.
High-performance affinity chromatography of proteins on non-porous polystyrene beads 704(1995)307
Leister, W.H., Weaner, L.E. and Walker, D.G.
Analysis and purification of modified methoxy(polyethylene glycol) compounds of similar molecular mass by high-performance liquid chromatography 704(1995)369
Leon, J., see Cui, H. 704(1995)27
Lewis, S.W., see Gachanja, A.N. 704(1995)329
Lin, C.-H., see Lee, W.-C. 704(1995)307
Lin, X., see Redden, P.R. 704(1995)99
Lu, C.-F., see Sheu, S.-J. 704(1995)518
Lundahl, P., see Beigi, F. 704(1995)315
Ma, Y., Ito, Y. and Foucault, A.
Resolution of gram quantities of racemates by high-speed counter-current chromatography 704(1995)75
Mali, B.D., Garad, M.V., Patil, V.B. and Padalikar, S.V.
Thin-layer chromatographic detection of dichlorvos and dimethoate using orcinol 704(1995)540
Marsel, J., see Prosen, H. 704(1995)121
Marsel, J., see Velikonja, Š. 704(1995)449
Massolini, G., De Lorenzi, E., Ponci, M.C., Gandini, C., Caccialanza, G. and Monaco, H.L.
Egg yolk riboflavin binding protein as a new chiral stationary phase in high-performance liquid chromatography 704(1995)55
Maujean, A., see Nedjma, M. 704(1995)495
Michael, J.L., see Fischer, J.B. 704(1995)131
Michotte, Y., see Boonkerd, S. 704(1995)238
Mikkat, S., see Schoor, A. 704(1995)89
Milin, Č., see Giacometti, J. 704(1995)535
Miroshnikov, A.I., see Klyushnichenko, V.E. 704(1995)357
Monaco, H.L., see Massolini, G. 704(1995)55
Moore, J.M., Casale, J.F., Hays, P.A., Klein, R.F.X. and Cooper, D.A.
Hygrine, bona fide alkaloid or artifact: its chemical reduction, novel di-heptafluorobutyrylation and sensitive detection in South American coca leaves using capillary gas chromatography–electron capture detection 704(1995)483
Mouloungui, Z., see Baudrand, V. 704(1995)524
Murashima, T., see Haginaka, J. 704(1995)279
Nakamura, M., see Nobuhara, K. 704(1995)45
Nazarov, E.G., see Rasulev, U.K. 704(1995)473
Nedjma, M. and Maujean, A.
Improved chromatographic analysis of volatile sulfur compounds by the static headspace technique on water–alcohol solutions and brandies with chemiluminescence detection 704(1995)495
Nobuhara, K., Kato, M., Nakamura, M., Takami, M. and Kaneko, S.
Preparation and evaluation of magnesia-coated silica as column packing material for high-performance liquid chromatography 704(1995)45
Noe, C.R. and Freissmuth, J.
Capillary zone electrophoresis of aldose enantiomers: separation after derivatization with *S*-(−)-1-phenylethylamine 704(1995)503
Novič, M., Dovžan, A., Pihlar, B. and Hudnik, V.
Determination of chlorine, sulphur and phosphorus in organic materials by ion chromatography using electrodialysis sample pretreatment 704(1995)530

Ondra, P., Válka, I., Vičar, J., Sütlüpinar, N. and Šimánek, V.
Chromatographic determination of constituents of the genus *Colchicum* (Liliaceae) 704(1995)351
Padalikar, S.V., see Mali, B.D. 704(1995)540
Patil, V.B., see Mali, B.D. 704(1995)540
Pawliszyn, J.B., see Boyd-Boland, A.A. 704(1995)163
Perreault, F., see Piotte, M. 704(1995)377
Petrović, M. and Kaštelan-Macan, M.
Validation of quantitative chromatographic analysis on laboratory-prepared thin layers 704(1995)173
Pihlar, B., see Novič, M. 704(1995)530
Piotte, M., Bossányi, F., Perreault, F. and Jolicoeur, C.
Characterization of poly(naphthalenesulfonate) salts by ion-pair chromatography and ultrafiltration 704(1995)377
Pirkle, W.H. and Terfloth, G.J.
Naproxen-derived segmented and sidechain-modified polysiloxanes as chiral stationary phases 704(1995)269
Ponci, M.C., see Massolini, G. 704(1995)55
Principato, G., see Caccamese, S. 704(1995)83
Prosen, H., Zupančič-Kralj, L. and Marsel, J.
Optimization of an analytical procedure for the determination of triazine herbicides in environmental samples 704(1995)121
Radež, I., see Friedrich, J. 704(1995)363
Rasulev, U.K., Nazarov, E.G. and Khudaeva, G.B.
Chromatographic determination of trace amounts of amines using a surface ionization detector 704(1995)473
Redden, P.R., Lin, X., Fahey, J. and Horrobin, D.F.
Stereospecific analysis of the major triacylglycerol species containing γ-linolenic acid in Evening Primrose oil and borage oil 704(1995)99
Reddy, K.S., Cloux, R. and Kováts, E.s.
Pair-wise interactions by gas chromatography.
VI. Interaction free enthalpies of solutes with primary methoxyalkane, cyanoalkane and alkanethiol groups 704(1995)387
Reusaet, E., see Cui, H. 704(1995)27
Riba, M.-L., see Simon, V. 704(1995)465
Roush, D.J., Gill, D.S. and Willson, R.C.
Preferred high-performance liquid chromatographic anion-exchange chromatographic contact region for recombinant rat cytochrome b_5 704(1995)339
Roussel, C. and Favrou, A.
Cationic β-cyclodextrin: a new versatile chiral additive for separation of drug enantiomers by high-performance liquid chromatography 704(1995)67
Ruaan, R.-C., see Lee, W.-C. 704(1995)307
Salen, G., see Batta, A.K. 704(1995)228
Sarker, M., see Guiochon, G. 704(1995)247
Schoor, A., Erdmann, N., Effmert, U. and Mikkat, S.
Determination of the cyanobacterial osmolyte glucosylglycerol by high-performance liquid chromatography 704(1995)89
Schrammel, F., see Ulberth, F. 704(1995)455
Šegudović, N., Sertić, S., Kovač-Filipović, M. and Jarm, V.
Salt effect on size-exclusion chromatography of partially sulfonated alternating copolymers of maleic acid and styrene in a polar solvent 704(1995)149
Sertić, S., see Šegudović, N. 704(1995)149
Seyama, C., see Haginaka, J. 704(1995)279
Sheu, S.-J. and Chen, H.-R.
Simultaneous determination of twelve constituents of I-tzu-tang, a Chinese herbal preparation, by high-performance liquid chromatography and capillary electrophoresis 704(1995)141
Sheu, S.-J. and Lu, C.-F.
Determination of eight constituents of Hsiao-cheng-chi-tang by high-performance liquid chromatography 704(1995)518
Siles, B.A., Halsall, H.B. and Dorsey, J.G.
Retention and selectivity of flavanones on homopolypeptide-bonded stationary phases in both normal- and reversed-phase liquid chromatography 704(1995)289
Šimánek, V., see Ondra, P. 704(1995)351
Simon, V., Riba, M.-L., Waldhart, A. and Torres, L.
Breakthrough volume of monoterpenes on Tenax TA: influence of temperature and concentration for α-pinene 704(1995)465
Štrancar, A., see Friedrich, J. 704(1995)363
Strazzolini, P., see Giumanini, A.G. 704(1995)224
Sütlüpinar, N., see Ondra, P. 704(1995)351
Syagailo, Ya.V., see Klyushnichenko, V.E. 704(1995)357
Takami, M., see Nobuhara, K. 704(1995)45
Tallarek, U., see Bayer, E. 704(1995)37
Terfloth, G.J., see Pirkle, W.H. 704(1995)269
Thomassin, M., see Guillaume, Y. 704(1995)437
Thompson, C.O. and Trenerry, V.C.
Determination of synthetic colours in confectionery and cordials by micellar electrokinetic capillary chromatography 704(1995)195
Thompson, C.O., Trenerry, V.C. and Kemmery, B.
Determination of cyclamate in low joule foods by capillary zone electrophoresis with indirect ultraviolet detection 704(1995)203
Tint, G.S., see Batta, A.K. 704(1995)228
Tomšej, T. and Hajšlová, J.
Determination of benzoylurea insecticides in apples by high-performance liquid chromatography 704(1995)513
Torres, L., see Simon, V. 704(1995)465
Trenerry, V.C., see Thompson, C.O. 704(1995)195
Trenerry, V.C., see Thompson, C.O. 704(1995)203
Tuzova, T.P., see Klyushnichenko, V.E. 704(1995)357
Ulberth, F. and Schrammel, F.
Accurate quantitation of short-, medium-, and long-chain fatty acid methyl esters by split-injection capillary gas–liquid chromatography 704(1995)455
Válka, I., see Ondra, P. 704(1995)351
Van de Nesse, R.J., Velthorst, N.H., Brinkman, U.A.T. and Gooijer, C.
Laser-induced fluorescence detection of native-fluorescent analytes in column liquid chromatography, a critical evaluation 704(1995)1
Velikonja, Š., Jarc, I., Zupančič-Kralj, L. and Marsel, J.
Comparison of gas chromatographic and spectrophotometric techniques for the determination of formaldehyde in water 704(1995)449
Velthorst, N.H., see Van de Nesse, R.J. 704(1995)1
Verardo, G., see Giumanini, A.G. 704(1995)224

Viaud, M.-C., see Caccamese, S. 704(1995)83
Vičar, J., see Ondra, P. 704(1995)351
Villani, C., see Ferretti, R. 704(1995)217
Vindevogel, J., see Boonkerd, S. 704(1995)238
Waldhart, A., see Simon, V. 704(1995)465
Walker, D.G., see Leister, W.H. 704(1995)369
Wan, H., Andersson, P.E., Engström, A. and Blomberg, L.G.
Direct and indirect chiral separation of amino acids by capillary electrophoresis 704(1995)179
Weaner, L.E., see Leister, W.H. 704(1995)369
Willson, R.C., see Roush, D.J. 704(1995)339
Wolf, N., see Giacometti, J. 704(1995)535
Worsfold, P.J., see Gachanja, A.N. 704(1995)329
Wulfson, A.N., see Klyushnichenko, V.E. 704(1995)357
Yakimov, S.A., see Klyushnichenko, V.E. 704(1995)357
Yamauchi, S.
Nitrobenzenes in reversed-phase liquid chromatography. New candidates for internal standards 704(1995)323
Yang, Q., see Beigi, F. 704(1995)315
Zelenik-Blatnik, M., see Kukman, I.L. 704(1995)113
Zhang, H.-W., Jia, L. and Hu, Z.-D.
Determination of palladium(II) as a chloro complex by capillary zone electrophoresis 704(1995)242
Zupančič-Kralj, L., see Prosen, H. 704(1995)121
Zupančič-Kralj, L., see Velikonja, Š. 704(1995)449
Žužek, M., see Friedrich, J. 704(1995)363